


Timber-Aluminium Windows

Page **34**

uPVC & uPVC-Aluminium Windows

Page **20**





Internorm innovations

Page 10





Entrance Doc

Contents

COMPANY	4
Our Values	4
Production	6
Service	8
Warranty	9
INNOVATIONS	10
I-tec Technologies	12
WINDOWS	18
Design Styles	18
uPVC & uPVC-Aluminium Windows	20
Timber-Aluminium Windows	34
Windows with integrated Blinds	44
Lift & Slide Doors and Fixed Glazing	52
COMBINATIONS	60
ENTRANCE DOORS	62
Design Options	64
Door Systems	70
Door Series	72
Side Entrance Doors	106
Online Door Designer	108
FINISHES & ACCESSORIES	110
Colours	112
Handles	114
Handles Glass	114 120

Sun Protection and Flyscreens

Technical Overview

Certifications

Lift & Slide Doors and Fixed Glazing Page 52

uk.internorm.com



128

134

138

Internorm – Europe's No. 1 Window Brand

Internorm has been a family business for 93 years. Since its beginnings as a one-man locksmith, it has developed into the biggest window brand, operating on an international scale.

More than 29 million window and door units – 100% made in Austria – have so far made their way to new homes from our three production facilities in Traun, Sarleinsbach and Lannach. From the early beginnings of the uPVC window and the first timber-aluminium windows, to today's high-tech and contemporary design innovations, our family company still sets the standard across Europe and beyond. Our focus on continuous technological developments and innovative solutions has made us the pioneers of the fenestration industry.

We employ over **2,100 employees** throughout Europe, all of them specialists within their field, who work with dedication, creativity and attention to detail. Together with over **1,300 distribution partners in 21 countries**, we strive to deliver a quality product and competent customer service.

Now in the hands of the third generation, **Anette Klinger**, **Stephan Kubinger** and **Christian Klinger** are leading the company with a strong focus on stability and sustainability. Their drive and commitment to innovation ensures that the company continues to be the trailblazer within the window and door industry.



Outstanding quality is the result of our passion.





Our employees are specialists with an eye for detail, who carry out their jobs with passion and creativity. The company's own research department is continuously developing new products and technologies to provide you with even more comfort and security. Our production employees work with the greatest care to create quality products for modern living. We focus on sustainable, energy-efficient and safe production processes to ensure the preservation valuable resources.

A unique QR code on your windows and entrance doors

This reveals a special service to give your windows and doors a long life.

By scanning the QR code in the rebate of your window or aluminium entrance door, you will receive useful information on your product, helpful tips on cleaning, contact details for your responsible distribution partner, as well as a link to the online shop for maintenance products. To ensure the longevity of your windows and doors, your Internorm products require the correct care and maintenance. You can find all the relevant information on this as well as suitable replacement parts from the Internorm window service at www.fensterservice.com or from your distribution partner.



Our guarantee also demonstrates responsibility.

As the largest, leading European window brand, operating internationally, Internorm boasts over 93 years of experience and is focused on developing innovative, exceptionally high-quality and reliable window and door solutions. That's our guarantee.

Warranty



 Against condensation between the sealed panes of insulating glass, if the glass is not heavier than 80kg.

Warranty



- · On weather resistance against unnatural change of colour and cracks in surfaces of:
- white UPVC window and door profiles, except for mitre cracks.
- inside foil covered UPVC window and door profiles, except for mitre cracks.
- anodised (a form of metal coating) or powder coated aluminium window and door profiles.
- · Against condensation between the sealed panes of insulating glass.
- · On the glue connection of glued Georgian/feature bars.
- On the function of the material compound timber, thermal foam and aluminium profiles in timber aluminium composite products when adhering to the Internorm fitting and maintenance guidelines.
- On the function of the glued connection and sealing of the insulating glass panes with window profiles in timber aluminium composite products when adhering to the Internorm fitting and maintenance guidelines.
- · Where goods are supplied with marine grade aluminium finish.

Warranty



- For PVD coated entrance door handles against corrosion, if no mechanical damage is apparent
- · On weather resistance against unnatural colour changes or cracks in door filling surfaces.
- · This 5-year warranty does not apply to the SD10 real-wood surface.

Warranty



- On weather resistance against unnatural change of colour and cracks in surfaces of anodised or powder coated aluminium roller shutters, blinds and window shutter profiles.
- · On the function of window and door hardware when the Internorm fitting and maintenance guidelines have been followed.
- On weather resistance against unnatural change of colour and cracks in surfaces of UPVC roller shutter profiles.

Guarantee



Internorm guarantees that our Goods manufactured from 1999 onwards are capable of being repaired by our specialists in such a way that their full functionality is guaranteed to subsist or be retained over a time period of 30 years. However, this is subject to the construction (i.e. frames and sashes) remaining undamaged and subject to the customer paying our costs of repair, where applicable. The 30-year period begins with the Internorm production date, confirmation of which will be provided on request. The services or materials, labour time etc., necessary to retain functionality will be charged at respective current rates.

Warranties/excerpt: The full version of our warranty information, warranty requirements and how to make a warranty claim can be found in the Internorm Maintenance, Care and Warranties Manual.

This manual is delivered together with your Internorm products. It is also available as a PDF from the Download section of our website and from every **Internorm distribution partner**.



Our innovations

The innovative and modern windows and doors produced by Internorm combine technology, longevity and design in a very unique way.



I-tec Secure locking technology – state-ofthe-art design meets maximum security

Unrivalled, fully integrated locking mechanism up to resistance class RC 3



Smooth finish for a sleek look and easy cleaning

It's not just the people who surround us, but also the way we furnish ourliving spaces, and our view of the outside, that help us feel at home in our own four walls. A sense of security is another

With the unrivalled I-tec Secure locking mechanism, you can rest assured that your windows offer reliable protection. Instead of the usual locking pins, flaps are used to precisely lock the window sash into the frame. It is virtually impossible to lever out the window.

important component.

I-tec Secure is integrated into our KF 510 and KF 520 premium-design windows as standard and is available up to resistance class RC 3 on request.



The flaps also offer considerable advantages when it comes to cleaning the windows. Only a few parts protrude from the sash, while the frame parts are concealed almost entirely, leaving a smooth, easy-to-clean uPVC surface.

I-tec Secure is integrated into our KF 510 and KF 520 window systems as standard, both in uPVC and uPVC-aluminium, reaching resistance class RC2N with an optional lockable handle.




Standard distribution of the I-tec Secure locking points



Learn more about our unrivalled I-tec Secure locking mechanism.











Scan here to find out more about I-tec Shading.

Our I-tec innovations

Under the title of I-tec, we've created a series of revolutionary and industry-leading innovations for windows and doors.

I-tec Insulation

Innovative window insulation

I-tec Insulation is included as standard with three Internorm window systems: the KF 410, KF 510, as well as our KV 440 windows with integrated blinds. Granulate is pushed into the frame's interior with pressure, thereby evenly filling the surrounding hollow chambers. This considerably improves thermal insulation.

I-tec Glazing

All-round gluing of glazing

I-tec Glazing technology provides maximum stability and security for your home. The glass pane is glued along the entire periphery of the window sash. This unique adhesive system guarantees firm bonding between glass and sash and considerably improves stability, thermal insulation and sound reduction.

I-tec Core

processing.

Strong windows made from natural materials

I-tec Core, made from thin, glued layers of timber, is incorporated into all our timber-aluminium systems (except HS 330 lift & slide door). Exceptionally robust and durable, they allow the manufacture of larger windows. Another special feature of this innovation is that it exclusively uses timber obtained from sustainable forestry with a PEFC quality seal. As a result, we can offer you sustainable products created by resource-saving

I-tec Shading I-tec Connect

Energy self-sufficient sun protection

With its photovoltaic module and back-up battery pack, I-tec Shading provides the ideal room temperature - it is completely self-sufficient, without requiring an additional energy supply.

When set to automatic mode, the Venetian blinds open and close automatically. Controlled by a built-in temperature sensor, it allows you to maximise the use of sunlight in winter, therefore reducing heating costs.



Knock-knock

Knock twice on the outside of the door to unlock the door sash, and you'll be able to open the door without much effort - as easy as child's play. Knocking creates vibrations that activate the module, which is installed out of sight within the frame. You don't need to knock on a particular area of the door. The I-tec Open technology prevents the door from opening accidentally, for example by gusts of wind, as only knocking can create the required vibrations.







- Easy activation using a push button (fingernail-friendly)
- Modern, electronic day latch function
- Children, weaker persons or even wheel-chair users can enter more easily and without great effort
- Unintended opening by a gust of wind or draft is not possible




A green light on the switch

lets you know quickly and clearly whether the day latch is activated. If the light isn't on, this means that the module is deactivated and the day latch function is not in operation.

I-tec Open is fully integrated into the door frame and not visible from the outside.

Note: If I-tec Open is controlling the electric door opener (see ETOE, page 127) - the door may not be locked.



I-tec Decor

Digital printing now at Internorm

matched to your furniture, floors or doors. The new digital printing technology works in a similar way to an inkjet printer, allowing you to create a more personalised, unique home.

An additional top coat provides protection against UV radiation and commercially available cleaning agents. With the new I-tec Decor digital printing technology, we can offer eleven distinct designs on the inside of KF 310, KF 410 and KS 430



I-tec Décor Concrete grey



I-tec Décor Oak black grey



I-tec Décor Oak olive grey



I-tec Décor Oak light



I-tec Décor Oak tobacco



I-tec Décor

Walnut red

I-tec Décor Spruce natural

Details on colour and texture can be found in our colour overview (page 113).

ow & Door Brochure 2024/25

FACT BOX

creative options

door

■ The exciting digital printing technology

■ Eleven different designs offer individual


Available as internal finish on uPVC for KF 310 and KF 410 windows, and KS 430 lift & slide



studio

For design lovers with a passion for elegance.

The **studio** design style is characterised by clean lines and a minimalist design. Large glazing becomes a design feature in its own right, whilst enhancing exceptional architecture.











Our uPVC & uPVC-aluminium windows

We develop and manufacture innovative windows that satisfy even the highest demands. Whether unrivalled protection against burglary, exceptional thermal insulation or outstanding noise protection – we place great value on meticulous processing down to the last detail.

Premium design

The **KF 520** and **KF 510** uPVC & uPVC-aluminium windows from Internorm



Standard uPVC- Our slim KF 520 aluminium window

Particularly slim and modern

thanks to slim sightlines, the increased areas of glazing allows for maximum light penetration and comfort of living


The highly weather-resistant aluminium coating

from Internorm increases colour stability.





The fully integrated I-tec
Secure locking system not only
provides maximum security, but
also offers easy cleaning.
This locking system is only
available from Internorm and is
integrated into the KF 520 and





The best of the best

Our premium-design windows offer an outstanding blend of state-of-the-art design and revolutionary security. Exceptional products that meet even the highest demands regarding architecture and design.



Internorm



I-tec Glazing

The all-round bonding of the glass pane with the window provides **outstanding stability** and **protection against break-ins**. It also increases thermal insulation and sound reduction.




The **high-quality handles** are available in a number of options and colours. You'll find a suitable window handle for every design.



Three circumferential gaskets, made of highquality, durable materials, keep water out and improve thermal insulation and sound reduction.



The **insulating granules** are evenly distributed throughout the hollow chambers, thereby improving thermal insulation in our KF 510 and KF 410 window systems, as well as our KV 440 windows with integrated blinds.








A perfect blend of design and technology



The revolutionary I-tec Secure locking mechanism makes it virtually impossible to lever the window - a unique feature in the industry. Upon locking, integrated flaps push onto the frame's interior on all four sides, thereby ensuring maximum burglary protection up to resistance class RC 3.



Thanks to its frame design, the window sash isn't visible from the outside and is indistinguishable from fixed glazing. In contrast to fixed glazing, the window can be opened, making this design perfectly suited to modern architecture. This window has won multiple awards for this unique feature.



I-tec Secure flaps also come with clear advantages for window cleaning, as only a small number of parts protrude from the sash and frame parts are nearly non-existent.



If you're looking for clean lines and a modern design, the KF 520 is available in the flush-mounted design version studio. For the exterior, you can choose between aluminium cladding or uPVC.

Thermal insulation U_w as low as = 0.63 W/(m²K)

Locking fully integrated Construction depth Noise reduction up to 46 dB




Security up to PC up to RC 3





When combined, I-tec Secure and I-tec Glazing offer maximum burglary protection. The fully integrated I-tec Secure locking system makes it particularly easy to



I-tec Insulation: The insulation granules are evenly filled throughout the hollow chambers, which improves thermal insulation and reduces energy costs.

home pure

The KF 510 window is exclusively available in the home pure design style and offers modern design. For the exterior, you can choose between an aluminium cladding or uPVC.



The high proportion of glass – made possible by the slim frame of this window – lets even more daylight into your living area. Maximum security, a simple design and a perfect match for the HF 510 timber-aluminium window – the KF 510 is simply a great window.

A perfect match

The KF 510 can be perfectly combined with the HF 510 timber-aluminium window (page 38). The external weather-resistant aluminium cladding is the same for both styles, creating a uniform appearance on the outside, whilst offering the choice of uPVC or timber options on the inside. You can tailor the windows to suit your individual requirements and create a harmonious interior design.





Thermal insulation U_w as low as = 0.63 W/(m²K)



Security

up to RC 3

Construction depth

Locking fully integrated



I-tec Glazing

I-tec Secure








Versatile suitable for all architectural styles



I-tec Glazing offers even more protection: The glass pane's all-round bonding with the window provides outstanding stability and burglary protection.



I-tec Insulation: The insulation granules are evenly filled throughout the hollow chambers, which improves thermal insulation and reduces energy costs. A benefit for the environment and your budget.



Whether flush, square, round or contoured – the KF 410 is our most versatile window, available in all four design styles and incorporating Internorm's unique I-tec technology. I-tec Insulation offers significant improvement in thermal insulation by completely filling the frame cavity. I-tec Glazing provides increased stability and improved security for your home.

home pure home soft ambiente

The KF 410 window is available in all Internorm design styles: flush, square, rounded or contoured – whatever your personal preference. On the outside, you can choose between aluminium cladding or standard uPVC (KF 410 in studio design style is only available with external aluminium cladding).



Thermal insulation

 U_w as low as = 0.62 W/(m²K)



square





rounded

Locking Concealed



Construction depth 90/93 mm

-tec Insulation I-tec Decor

I-tec Glazing

Security up to PC up to RC 2

Noise reduction

up to 47 dB





The external sash does not have a visible uPVC frame and therefore looks like fixed glazing - but is actually an opening window.



The innovative glass sash of the KF 320 gives the impression of fixed glazing. Whether you opt for the classic uPVC version in white or add an aluminium cladding the slim, square window frame enhances the minimalist architecture of the studio design



The 6-chamber frame profile provides improved thermal

insulation. Triple circumferential gaskets protect the interior from moisture and at the same time improve thermal insulation and noise reduction. I-tec Glazing, the all-round bonding of glass to frame, provides outstanding stability and security.



Available in the modern, flush studio design style

By rendering the window frame on three sides, you can create a **virtually** frameless window solution.

Thermal insulation
Uw as low as = 0.65 W/(m²K)

Locking Concealed

I-tec Glazing

Noise reduction up to 45 dB

Security
up to RC 2

Construction depth 71/74 mm



KF 320

uPVC & uPVC-aluminium windows



32 Window & Door Brochure 2024/25

Proven quality with excellent performance



The KF 310 is available as uPVC or uPVC-aluminium window in three design styles.



Developed by our experienced in-house product development team, the KF 310 features tried and tested technologies - outstanding thermal and sound insulation, combined with I-tec Glazing, the all-round bonding of the glass pane to the window sash.



A slim window, with a construction depth of **71 mm** (74 mm with aluminium cladding).



Available in three design styles to match your building style









contoured

Thermal insulation
U_w as low as = 0.69 W/(m²K)







Security
up to RC 2



Our timberaluminium window for individual comfort in your home


With our range of design styles, you can tailor your new timber-aluminium windows to suit your home. Further personalisation can be achieved: hundreds of colours available for the external aluminium cladding, a range of beautiful internal timber options, as well as a choice of window handles.

Internorm

What our timberaluminium windows have to offer

The innovative timber-aluminium composite windows from **Internorm**

Particularly slim and modern due to a slim sightline – maximum glass for increased light transmission and improved living comfort.



Independent of timber type, the unique **timber-thermal foam-aluminium** bonding offers outstanding thermal insulation within a low contruction depth.



I-tec Glazing

The glass pane's all-round bonding with the window frame provides **exceptional stability** and **burglary protection**. This technology is integrated into all our timber-aluminium systems as standard.



-tec Core

The I-tec Core makes these windows particularly robust and durable, enabling larger window solutions. The exceptionally strong, glued wood layer construction, makes our timber-aluminium windows more durable and stable. I-tec Core is incorporated into HF 410, HF 510, as well as HV 450 with integrated binds.





The perfect combination: Mix and match timber-aluminium windows with our uPVC-aluminium windows. The external weather-resistant aluminium cladding is the same for both styles, creating a uniform appearance on the outside, whilst offering the choice of timber options or uPVC on the inside. So you can opt for uPVC-aluminium for your bathrooms and timber-aluminium for all other rooms.



The durable and low maintenance external aluminium cladding is available in a wide choice of colours. Also choose from textured or wood effect finishes. For aluminium colour options see page 112.



Please note that not all options are available for all window systems. HF 510 is pictured here.





Combining modern design with a natural finish



The slim sightlines of the HF 510 timber-aluminium window provide a modern solution - maximum glass for increased light transmission and improved living comfort. Why not match this window with the HS 330 lift & slide door, available with the same timber options?



This window meets the **most demanding requirements in design** – slim, modern and elegant. It can easily be combined with our KF 510 uPVC-aluminium window in one project - the external aluminium cladding will match perfectly, creating a seemless,



The modern, square design perfectly aligns with the requirements of contemporary architecture. With the internal choice of timber finishes, combined with the external, hard-wearing aluminium cladding, the HF 510 offers a wide range of design options to suit your project.

A perfect match

The advantage of the Internorm window systems is that whatever material you choose on the inside – natural timber or contemporary uPVC - the outside will always look the same. Combining the HF 510 timber-aluminium with the KF 510 uPVC-aluminium window (page 26) means that you can coordinate your internal materials with your individual room requirements without losing the harmonious appearance on the outside.



Thermal insulation
Uw as low as = 0.65 W/(m²K)

Noise reduction

up to 44 dB

Locking Concealed

Construction depth

I-tec Core I-tec Glazing

Security up to RC 2









Windows and large areas of glazing have become an essential feature of modern architecture. The selection of colours and materials for floors and furniture plays a crucial role in creating a harmonious overall feel - so you can design your individual living environment. The wide range of colour and timber options for the HF 410 offers countless possibilities to fashion your living space in a unique way - no matter the building style.




The timber-thermal-foamaluminium bonding offers outstanding thermal insulation at a low construction depth, resulting in energy cost savings.



Thermal insulation U_w as low as = 0.65 W/(m²K) Noise reduction up to 45 dB Security
up to RC 2



home pure home soft ambiente



Locking Concealed

Construction depth



40 Window & Door Brochure 2024/25

FACT|BOX

colours to choose from

and strength

interior design

■ I-tec Core provides high stability

■ Many types of timber, surfaces and

Can be optimally adapted to suit your

HF 410

Timber-aluminium windows








contoured





Having decided on building not only to Passivhaus standard but also achieving certification, the windows and doors were a key factor in achieving this goal."



An old bungalow, which occupied this large plot, was demolished to make way for this three-storey contemporary, energy-efficient Passivhaus certified newbuild with high ceilings and a beautiful open staircase.

An old bungalow made way for a stylish,

Passivhaus certified home

To make the most of the stunning views over the garden and the Yorkshire countryside, 14m of fixed timber-aluminium glazing was installed on one side of the building on the upper level. Light from the large glazing fills the contemporary open plan living and dining area, creating a calm and bright space.

"We were introduced to Internorm at the design stage through the architect. The design of the windows was fairly advanced in terms of the products that we were looking for, but once we got involved with Spectrum, we did make a few adjustments to the specification based on their recommendation. We chose the timber-aluminium range in Ash for the windows, lift & slide doors and Panorama glazing throughout. Their involvement, especially with the large north-facing window, was important."

We wanted to make the most of the stunning view, which we achieved with this incredible 14m stretch of fixed timberaluminum glazing."

Watch their full Case Study Video



Perfect for a renovation – our windows with integrated blinds

Internorm windows with accessible integrated blinds are unique within the fenestration industry. The blind, housed between window panes, is protected from wind, rain and dirt.

What our windows with integrated blinds have to offer.

Outstanding protection in one window.

I-tec Shading

Sun protection



I-tec Shading creates the perfect room temperature. With its photovoltaic module and back-up battery, it is completely self-contained, without the need for an additional energy supply. When set to automatic mode, the Venetian blinds open

and close automatically at sunrise or sunset. This is controlled by built-in sensors, which means that you can make the most of the sunlight in winter, with the Venetian blinds fully open.

A choice of uPVC and timber is available for the inside.






Easy operation



Easily control your Venetian blinds on the window.

I-tec Insulation I-tec Glazing

Thermal insulation and noise reduction



The insulation granules evenly fill the hollow chambers, which improves thermal insulation and reduces energy costs. In addition, the windows with integrated blinds offer **improved noise reduction,** so noise from the outside stays outside.

> Please note that not all integrated blind options are available with all window systems.

Screen

both uPVC-aluminium and timberaluminium composite systems. You can choose from three blind options - Venetian, Roman or Duette black-out blinds. So whatever blind you choose, it will be completely protected from the elements due to its location within the sealed glass panes.

For renovators: Windows with integrated blinds are ideal for renovation projects, as there is no need for separate sun protection, They are also a great solution for facades where shutters are not permitted.

TIP


Roman blind


KV 440

uPVC-aluminium windows with integrated blinds













I-tec Insulation

Concealed

Construction depth





KV 350

uPVC-aluminium windows with integrated blinds



The 6-chamber frame profile provides improved thermal insulation. Triple gaskets protect the interior from moisture whilst at the same time improving thermal insulation and noise reduction.



window is ultra-slim. You can also perfectly combine it with the KF 310 uPVCaluminium window.







With a construction depth of 74 mm, this

home pure ambiente

For this window you can choose between the home pure and ambiente design styles.

Thermal insulation U_w as low as = 0.79 W/(m²K)







Locking Concealed

Construction depth

I-tec Glazing

48 Window & Door Brochure 2024/25

Self-sufficient: The I-tec Shading option is

module, therefore not requiring an external

powered by sunlight via a photovoltaic

I-tec Glazing ensures firm bonding

increased stability, improved thermal

home pure home soft ambiente

Select the design style to suit the

design of your house.

insulation and noise reduction.

between glass and sash, which also provides

power source.





Quadruple protection in just one window



With perfect sun and privacy protection, as well as thermal and noise reduction, you can enjoy quadruple protection in just one window. I-tec Shading works entirely without an external power source and also offers many useful features such as temperature sensors and day/night recognition.





Thanks to the I-tec Core, these windows are especially robust and durable, enabling very large window solutions. In addition, the integrated I-tec Core made of timber is both resource-saving and sustainable.



other windows.

To match your building style, the HV 450 offers a suitable option in home pure, home soft and ambiente.

home pure home soft ambiente

The blind offers sun protection and privacy, and is integrated between the panes. This not only comes with advantages for cleaning, but also protects the material from the elements.

Thermal insulation
Uw as low as = 0.62 W/(m²K)

Concealed

Noise reduction up to 46 dB

Security up to RC 2

I-tec Connect | I-tec Core

Construction depth | I-tec | Glazing | 85 mm

I-tec Shading



Lift & slide doors and fixed glazing – for limitless freedom

Modern architectural glazing creates a new style of living. Large glass surfaces extend the living space beyond its actual limits. Internorm offers lift & slide doors and large fixed glazing to extend this feeling of freedom.

KS 430

uPVC & uPVC-aluminium lift & slide door



FACT|BOX

- Slim sliding door frame and frameless side elements with 3-sided rendering
- Inside can be customised with I-tec Decor technology
- Soft close handle for smooth handle return included as standard

More light with large elements up to 650 x 280 cm and sashes up to 400 kg possible

ESG (toughened safety glass) as standard to prevent injury.

The low threshold makes passing through convenient, making the system ideal for barrier-free construction.

- Thermal insulation
 Uw as low as = 0.64 W/(m²K)
- Noise reduction up to 43 dB
- Security
 up to RC 2





I-tec Connect


Comfort Drive – allows your lift & slide door to be opened via electric operation. Can be integrated into a Smart Home system.



The KS 430 is **available as a uPVC or uPVC-aluminium option** – can be perfectly combined with your windows.

HS 330

Timber-aluminium lift & slide door



FACT BOX

- Highly energy-efficient: Fibreglass threshold for optimum thermal insulation
- Frameless glazing achieved with fully rendered fixed elements
- Easy to lift and slide up to 400 kg sash weight

In combination with fixed glazing for even bigger glass surfaces; frameless glazing through fully rendered fixed element

Stylish colour options for personal design choices – can be perfectly combined with the timber-aluminium windows HF 410, HF 510 and HV 450.

The fibreglass, easy to clean threshold is covered with anodised aluminium on the outside, providing optimal stability.




I-tec Connect

Comfort Drive – allows your lift & slide door to be opened via electric operation. Can be integrated into a Smart Home system.









I-tec Glazing


The glass pane is bonded on all four sides to the frame, providing **outstanding stability** and **burglary protection**. Integrated as standard in all our timber-aluminium windows and doors.

FACT|BOX Open and bright: glass joints are nearly invisible ■ Large-scale glazing possible Frame disappears almost entirely into the facade 56 Window & Door Brochure 2024/25

HX 300

Fixed glazing

This large-scale glazing can be fully integrated into the brickwork, creating a stunning frameless design feature for your home. Innovative glass joints create a near invisible transition between glass panes, therefore providing many options for modern, large-scale architectural glazing. HX 300 panoramic glazing is available with glass surfaces of up to 10.5 m², making the frame disappear almost entirely into the facade.



You can create **visual features** with integrated windows.

The strong frame construction, glued with multiple layers, enables a glass surface of up to 10.5 m².




"HX 300 offers the **optimal construction connection** for floor to ceiling glass surfaces.





The slim glass joint allows for large expanses of glass.



Triple security glazing with I-tec Glazing as standard. The glass pane is continuously glued to the frame on all four sides, which guarantees a firm bon and exceptional stability.







We love the oak interior finish of the windows. They frame the views beautifully in all directions. Whatever the weather or season, the outside looks like an ever-changing painting".



Before

Sitting on top of a hill overlooking the beautiful Kent countryside, it was clear why the owners fell in love with this property. However, the house they encountered during their initial viewing was a neglected 1960s building, with leaking roofs and poorly insulated walls, windows, and doors. It needed complete refurbishment to bring it into the 21st century.

A new lease of life for a run-down 1960s house

The homeowners spent a long time researching windows and doors. When they compared the thermal performance and cost of other brands to Internorm, they realised that there was no comparison and contacted Internorm distribution partner AT-Eco.

"Living with our Internorm windows and lift & slide doors is a joy! Being on an exposed site, the robust quality of the products means that during fierce winter storms and horizontal rain, our home is quiet, warm, and secure. There are no air gaps to worry about."

Choosing quality products and local suppliers were important factors in their decision making. They did not seek Passivhaus certification but wanted to renovate to Passivhaus standard to create a green, sustainable home that stood the test of time.

reflect our personalities and tastes. Quite often, we just sit on the sofa, watch the evenings draw in and just enjoy the amazing view."

Watch their full Case Study Video



Internorm – as varied as your dream home

Windows, large-scale glazing such as lift & slide doors and entrance doors – at Internorm, you get everything from a single source – 100% made in Austria and with reliable quality.

You can easily combine our timber-aluminium windows with our uPVC-aluminium windows. The aluminium cladding can be designed to match, thereby creating a uniform look for the exterior.

If you need a uPVC-aluminium window for your bathroom or wetrooms to match the timber-aluminium windows in your living room, no problem. There are many combinations for you to select. From the hundreds of colours for the external aluminium cladding, to timber options and uPVC Decor colours internally, as well as a range of window handles – the choice is yours. Create your dream home the way you envision it.



Timberaluminium

Beautiful natural timber offers warmth, provides a pleasant atmosphere, and is ideal for living rooms and bedrooms.



uPVC-aluminium

uPVC is durable, exceptionally low-maintenance and thereby perfectly suitable for rooms with high humidity, e.g. bathrooms.





Lift & slide doors

Our lift & slide doors, combined with fixed glazing, offer the ultimate sense of space., flooding your home with natural daylight and creating a seemless transition for indoor/outdoor living.

Sun protection and flyscreens

To avoid overheating, it is important to include shading. Our range of sun protection, and fly screens, provides a comfortable living space.



Entrance doors

Expect the same high standard from your Internorm entrance door. Available in aluminium and timber-aluminium, you can choose from flush, ultra-modern to traditional, and create a secure entrance that reflects your taste.







Our entrance doors

Every Internorm entrance door is unique – individual and timeless.

Whether you choose one of our aluminum or timber-aluminium door systems, there is a wide range for stunning designs and accessories to suit your requirements and taste.

(pages 116 - 118)

Designation

every door series.





Each bespoke Internorm entrance door is manufactured to your individual requirements. The result is a unique door that is perfectly suited to you and your home.

To help you choose your perfect entrance door, you will find a selection of models and options on the following pages. With a wide range of colours, finishes, handle and glass options, you can give your door a personal touch. Create an impressive entrance that not only matches the style of your house, but also reflects your personality.

Why not take advantage of our online **Door Designer** tool for even more options? Design and customise your entrance door exactly how you want it. Or let our Internorm 1st window partners advise you.







Internorm



Side lights

Every door can be purchased with our without side lights.

40


House numbers

The house number can be milled into the door panel or sandblasted into the glass of the side light.



Glass options

Internorm offers a wide range of glazing options, including a new range of motif glass. Bespoke glass features are available with technical request.





Handles

A huge selection of handles is available for every door.



Colours & materials

Choose from many different colours and special designs to create your door.



Security

Smart access control systems are available.

What our entrance doors have to offer.

The entrance door is the stand-out feature of your house, which is why Internorm only offers unique, premium doors, that are tailor-made for you to the highest standards. Choose from seven distinct series to create your exclusive door.



Timber-aluminium entrance doors

Many customers still want the warm, natural feel of timber on the inside. However, timber is more susceptible to weathering. With an external aluminium panel, the door is protected from harmful weather conditions. Timber also offers very good insulating properties, which is why timber-aluminium entrance doors are perfectly suited to low-energy homes.



Our timber-aluminium entrance doors are a perfect fit for low-energy and passive houses.

HT 410 Flush-mounted on the inside and outside



Thermal insulation Locking $U_{\rm D}$ as low as = 0.67 W/(m²K)

Noise reduction up to 34 dB

Security

up to RC 2







HT 400

Square-edged on the inside and outside




Thermal foam insulation

The material compound of timber, aluminium and thermal foam provides optimal thermal insulation and energy efficiency.

Aluminium entrance doors

Aluminium entrance doors are light, but also exceptionally strong and weather-resistant. Incorporating a 3-chamber frame profile, foam insulation core (or insulating glass core for AT 510), and a thermally broken threshold, it offers optimal thermal insulation.



Design versions

The respective systems with their various abbreviations (AT 540, AT 530, HT 410, etc.) feature different functionalities and features. In addition, every system comes with its own design, ranging from flush-mounted or angular through to contoured.

AT 540

Flush-mounted on the inside and outside



AT 530

Square-edged on the inside and outside



AT 525

Square-edged on inside, flush-mounted on outside



AT 520

Contoured on the inside, square-edged on the outside




AT 510

Contoured on the inside, square-edged on the outside



AT 500

Profiled on the inside and outside



Thermal insulation

 U_D as low as = 0.69-0.95 W/



Noise reduction 32 to 40 dB



Security RC 2 to RC 3



Locking



Optimal thermal insulation

All our aluminium entrance doors feature a 3-chamber frame profile and a foam insulation core for outstanding thermal insulation (except AT 510 - insulating glass core). The triple gaskets guarantee protection from moisture and cold.

Entrance Door Series


Our entrance door series


Whether you are looking for a door with a solid panel, or one with glass features, Internorm entrance doors offer you a wide range of design styles and material options. Create your very own, unique door to suit your taste and your home's architectural style. Contemporary or traditional, the choice is yours. Here is just an overview of our product range.







Stunning new designs and exceptional quality live up to even the most demanding ideals of modern living.
Our new designer doors combine elegance and individuality and will win you over with stylish details.

















Scan the QR code and find out which door models to combine with which finishes





Design meets timeless elegance



Denis Vesel, VESEL design



Designer Denis Vesel created a new design dimension with a new entrance door range for Internorm. He turned his vision of timeless elegance into reality, from the initial idea and designs, to the finished product: "My goal was to create a new dimension of design that people would get excited about. The look of the door should feel natural, be inspiring and turn any entrance into something special!" With simple shapes and lines, Denis Vesel developed a sophisticated designer series that is both elegant and inspiring.

The carefully coordinated design and attention to detail make these premium doors truly unique. Despite the simple shapes, Denis Vesel has developed a real sophistication that comes across as both elegant and exciting. "You should feel that special sense of home every time you step through your front door. For me, it was important to fully tailor the design of the entrance doors to the people, and create an exciting design element, not simply a door", says the designer.



Watch the video with designer Denis Vesel here.

Internorm Series.V



Colour: RAL 9005

Order No.: V0001

AT 540 AT 530

Handle: GSHG black



The visionary door design received the prestigious Red Dot Award:

Product Design 2023 for its timeless elegance, meeting modern requirements for functionality and security.



elements!"

VG Colour: Frame RAL 9005, sash SD10 Antique wood Handle: GKVV black Order No.: V0003

AT 540 AT 530



For me as a designer, the entrance door


represents one of the most important design

Colour: Frame RAL 9005, sash SD03

Colour: Frame HM819, sash HM819, RAL 9005 Handle: GPRV black Order No.: V0005

77

AT 540 AT 530





Colour: Frame HM712, sash HM712, RAL 9005

Order No.: V0002 AT 540 AT 530

Handle: GPR60

Glass: Satinato white

NOTE: Special décors (SD colours) are not available for all door systems. Scan the QR code to find details for each series.

Art-Concrete, RAL 9005

Handle: GSIV black

Order No.: V0004

Series.V



Colour: HM906 Handle: GSIV black Designer panels: black fine structure Order No.: V0100

AT 540 AT 530





Handle: KGS03 Glass: MV11FE Designer panels: Alunox, black fine structure Order No.: V0102





Colour: HM712 Handle: GSIV black Designer panels: black fine structure Order No.: V0101





Series.F


Solid designer panels

Doors with solid panels look stunning and keep your home private. Create your contemporary entrance door with discreet groove milling and aluminium strips. A choice of straight or recessed handles will add to the overall design to create an impressive and modern entrance area.





Scan the QR code and find out which door models to combine with which



TRENDSETTER

Doors from our 'Art' range are not only striking, they are also unique. Each door has its own individual surface and in combination with aluminium trims or side lights, each of these doors becomes a style focus.



Real timber in antique finish – each door is unique FD Colour: Frame HM716, sash SD10, HM716 Handle: RGS05 Special glass: Dark Grey Order No.: F0002 AT 540 AT 530 AT 525 AT 520 AT 500 HT 410 HT 400

NOTE: Special décors (SD colours) are not available for all door systems. Scan the QR code to find details for each series.

Series.F








NOTE: Special décors (SD colours) are not available for all door systems. Scan the QR code to find details for each series.

Series.F



AT 540 AT 530 AT 520 AT 500

85



Colour: Frame RAL 9005, sash SD08 Art-Basalt Handle: GKV03 black Designer panels: Aluminium trims Base profile: black 20 mm Order No.: F0053

AT 540 AT 530 AT 525 AT 520 AT 500 HT 410 HT 400



AT 540 AT 530 AT 525 AT 520 AT 500 HT 410 HT 400



FO Colour: HM722 Handle: RGS01 Base profile: Alunox 20 mm Order No.: F0050

FP Colour: Frame HM704, sash

HM704, M916 Handle: KGS03 Order No.: F0006

AT 540 AT 530 AT 525 AT 520 AT 500 HT 410 HT 400

lend your door a very special aesthetic. FT Colour: Frame RAL 9005, FS sash SD09 Art-Carrara FU Colour: HFM04 Handle: SG17 black Colour: Frame HM716, sash HM712 Handle: GSI40 Designer panels: Aluminium trims Designer panels: Aluminium trims Base profile: black 20 mm Handle: SG13 Order No.: F0008 Order No.: F0054 Order No.: F0010

Black or stainless steel coloured aluminium trims

NOTE: Special décors (SD colours) are not available for all door systems. Scan the QR code to find details for each series.

AT 540 AT 530 AT 520

84 Window & Door Brochure 2024/25

AT 540 AT 530 AT 525 AT 520 AT 500 HT 410 HT 400


Symmetry in balance


Series.P

This extensive range of doors impresses with its simplicity and symmetry. Whether you opt for a full-length slim glass window or prefer perfectly aligned smaller windows in the centre or the side, the choice is yours.

To create an even more individual entrance door, you can add milled grooves or decorative aluminium trims.












Scan the QR code and find out which door models to combine with which









For selected models, you also have the option of choosing from a range of motif glazing (see page 121).



Handle: HGS01 black Glass: Satinato white Order No.: P0001

AT 540 AT 530 AT 525 AT 520 AT 510 AT 500 HT 410 HT 400

PD Colour: HFM21 Handle: GSI03 Glass: Satinato white

NOTE: Special décors (SD colours) are not available for all door systems. Scan the QR code to find details for each series.

Order No.: P0050

HT 410 HT 400


AT 540 AT 530 AT 525 AT 520 AT 500

Internorm



NOTE: Special décors (SD colours) are not available for all door systems. Scan the QR code to find details for each series.

Series.P





Colour: Frame RAL 9005, sash SD07 Art-Stone Handle: KGS05 glass: Satinato white Base profile: Stainless steel 20 mm Order No.: P0052

AT 540 AT 530 AT 525 AT 520 AT 510 AT 500
HT 410 HT 400





AT 540 AT 530 AT 525 AT 520 AT 510 AT 500
HT 410 HT 400



Colour: Frame HM721, sash HM721, HM907 Handle: SG18 Glass: Satinato white Order No.: P0010

AT 540 AT 530 AT 525 AT 520 AT 500 HT 410 HT 400



Colour: Frame HM907, sash HM907, M916 Handle: GKV03 Glass: Satinato white Alunox glass surround Order No.: P0008

AT 540 AT 530 AT 525 AT 520 AT 500



Handle: GSI03 black

Motif glass: MP43FE

AT 540 AT 530 AT 525 AT 520 AT 500 HT 410 HT 400

91

Order No.: P0012

NOTE: Special décors (SD colours) are not available for all door systems. Scan the QR code to find details for each series.







Colour: HM716 Handle: HS40 Glass: Satinato white Order No.: D0050









DG

Colour: Frame RAL 9005, sash HM704 Handle: SG17

Glass: Satinato white, Alunox glass surround Base profile: Alunox 20 mm

Order No.: D0004

AT 540 AT 530 AT 525 AT 520 AT 500 HT 410 HT 400



Scan the QR code and find out which door models to combine with which finishes



Colour: Frame HM721, sash SD05 Art-Corten Handle: KGS01 Glass: Satinato white Base profile: Stainless steel 20 mm Order No.: D0052

AT 540 AT 530 AT 525 AT 520 AT 510 AT 500
HT 410 HT 400



Handle: GOK60 Glass: Satinato white Designer panels: Aluminium trim Base profile: Alunox 20 mm Order No.: D0003 AT 540 AT 530 AT 525 AT 520 AT 500
HT 410 HT 400



Colour: Frame RAL 9017, sash SD03 Art-Concrete Handle: KGS04 black Designer panels: Aluminium trim Glass: Satinato white Order No.: D0005

AT 540 AT 530 AT 525 AT 520 AT 500 HT 410 HT 400



Colour: Frame HFM12, sash HFM12, M916 Handle: HGS04 Glass: Satinato white Order No.: D0006 AT 540 AT 530 AT 520 AT 500 HT 410 HT 400



DR Colour: Frame RAL 9005, sash SD10 Antique

Handle: HGS03 black Designer panels: Aluminium trim

Glass: Satinato white Order No.: D0008

AT 540 AT 530 AT 520 AT 500 HT 410 HT 400

95

NOTE: Special décors (SD colours) are not available for all door systems. Scan the QR code to find details for each series.

Glass: Satinato white


AT 520 AT 500 HT 400


Order No.: D0051

Series.G

Focus on glass

With the third series in this range, the emphasis is very clearly on the glass elements. Depending on the model and personal preference, milled grooves and decorative aluminium trims can be added.







Scan the QR code and find out which door models to combine with which finishes



Series.G



Colour: HF113 Handle: RGS05 Glass: Satinato white, Alunox glass surround Order No.: G0003

AT 540 AT 530 AT 525 AT 520 AT 500 HT 410 HT 400



Colour: HM819 Handle: KGS04 Glass: Satinato white Order No.: G0005

AT 540 AT 530 AT 525 AT 520 AT 500



Colour: HM716 Handle: HS42 Glass: Satinato white Order No.: G0001

AT 540 AT 530 AT 525 AT 520 AT 510 AT 500 HT 410 HT 400



Colour: Frame HF735, sash HF735, HF716 Handle: SG13 Glass: Satinato white

Glass: Satinato white Base profile: Alunox 80 mm Order No.: G0004

AT 540 AT 530 AT 525 AT 520 AT 500 HT 410 HT 400



Decorative accent lighting

A bright, beautifully lit entrance area creates a warm welcome to both visitors and residents. Adding feature lighting adds drama and atmosphere to your facade.

LED lighting is available for a range of Internorm entrance doors in recessed handles, handle bars or the threshold. It can be fitted with a twilight switch to ensure that lights are turned on automatically at dusk. Connection to a motion sensor is also available.

Illuminated door panel

LED lighting is integrated into the threshold area of the door, creating a well-lit entrance.

Mirror, mirror, on the ...

One last look in the mirror before leaving the house – a quick fix of your hair, check your outfit, and you are ready to go.

Internorm offers full-length mirrors for the inside of entrance doors. Virtually flush-mounted to the door sash, they are available in three different colour options to match your door and interior design.

Mirrored doors

are simple, but clever and practical.

The mirror can be framed or bonded to the inside. Whatever you choose, you can check your appearance before you leave the house.



MOTIF GLASS DESIGN

Colour: HM704 Handle: EGS01 Motif glass: MS71FE Order No.: X0100

AT 500





Colour: M916 Handle: HS10 Motif glass: MKR32E Order No.: X0001

AT 500



Handle: RSS06
Glass: Satinato white
Order No.: X0003

AT 500



TRANSOM DESIGN

Colour: HM716 Handle: HS50 Glass: Satinato white Georgian bars: 97 mm Order No.: X0002





TRANSOM DESIGN

Colour: HM819 Handle: EGS01 Motif glass: MKR32E Order No.: X0004





GEORGIAN BAR DESIGN

Colour: HM817 Handle: HS50 Glass: Satinato white Georgian bars: 60 mm Order No.: X0005

AT 500




GEORGIAN BAR DESIGN

Colour: HM722 Handle: HS30 Glass: Satinato white Georgian bars: 60/40 mm Order No.: X0006

AT 500



Handle: EGS01 Motif glass: Sash MF22FE, side light MF22SE Order No.: X0007



back entrance doors

Security is not just important for windows and entrance doors. Side and back doors have to offer the same protection. And they have to look good of course. Side entrance doors serve to close off uninhabited, unheated rooms (e.g. garage, basement storage rooms, etc.). Recent statistics show that burglars usually access houses via a side or back entrance. This makes it all the more important to take preventative measures with the right security features. Internorm offers a range of security hardware systems on request.

Side entrance doors are available in aluminium, uPVC, uPVCaluminium, as well as timber-aluminium with a wide range of options to customise your door.

Aluminium



AT 500 Panel design Colour: HM704 Handle: HS10 Order No.: X0008



AT 500 Glass panel design Colour: HM716 Handle: HS10 Glass: Satinato white Order No.: X0010



AT 500 Glass design Colour: Frame M916 Handle: HS10 Glass: Satinato white Order No.: X0009



AT 500 Glass panel design Colour: HM735 Handle: HS10 Glass: Satinato white Order No.: X0011

uPVC & uPVC-aluminium



KF 510



KF 410



KF 320



KF 310

Timber-aluminium



HF 410 / HF 510



HF 410 / HF 510





You create your very own interior design with furniture, flooring or perhaps wall coverings in different colours or materials – elegant, classic and traditional or modern. Windows and entrance doors no longer play a secondary role in designing your interior spaces. With a variety of finishes and colours to choose from, you can create a very individual living environment.

Internorm's bespoke entrance doors are available in both aluminium and timber-aluminium in a range of design options and made to your requirements.

Take advantage of our **online Door Designer tool** on our website to create your custom door, or let one of our **Internorm distribution partners** advise you.



Try the Internorm Door Designer here!

108 Window & Door Brochure 2024/25

Our online

dream door at your leisure

Door Designer

Every Internorm entrance door is totally

bespoke and can be designed to suit your personal taste. Our online Door Designer tool lets you create your



Countless design options

Find out more about our extensive range of accessories. Choose from hundreds of colours, handles, glass, sun and insect protection to design your windows, doors and entrance doors for your unique home.

Colours for windows and doors

Colours options of external aluminium cladding for windows, as well as internal and external colours for entrance doors.

Standard colours*



hirest Colours***



HDS Colours**



Stainless-steel colours for external window cladding/doors

Stainless-steel colours****

- * Highly weather-resistant, except for M916 (facade quality)
- ** Intensive colour, variation possible.
- *** For surface options HM (highly weather-resistant standard colour), HF (highly weather-resistant fine structure), HFM (highly weather-resistant fine structure metallic) a special, highly weather-resistant powder coating is used.
- **** Only possible on both sides of door frame
- ***** Real wood, not suitable for every installation site. Please check with your distribution partner.

Special decor for the exterior of entrance doors

SD colours




Timber standard colours for the interior of windows and doors

SPRUCE varnished



TIMBER opaque







OAK







Special colours

The Internorm RAL colour programme offers a range of design options (facade quality). You can choose these colours for the exterior of the aluminium cladding and timber for the interior.

Please note that not every colour is available for every window or door.

Due to printing and manufacturing conditions, colour and structural deviations can occur between the illustrations and the original products.

Your Internorm distribution partner will be able to show you the original colour samples.

uPVC for window systems

White

Internorm


uPVC white

Available for the interior and exterior of all uPVC window systems.

EXCEPTIONS: KF 310 home pure, KF 410 studio, KV 350 and KV 440 are exclusively available as uPVC-aluminium systems

Interior Decor colours	Golden oak	Brilliant white	Cream white	Dark grey
KF 510				X
KF 520				Х
KF 310	Х	Х	Х	Х
KV 350	Х	Х	Х	Х
KF 410 studio		Х		Х
KF 410 home pure		Х		Х
KF 410 home soft	Х	Х	Х	
KF 410 ambiente	Х	Х	Х	
KV 440 home pure		Х		Х
KV 440 home soft	Х	Х	Х	
KV 440 ambiente	Х	X	Х	
KS 430	Х	X	Х	X


Digital printing for uPVC window interior



NOTE: I-tec Décor only available for KF 310, KF 410 and KS 430

Add a splash of colour to your life

Windows and doors have become design objects in their own right. Choose colour and create a focal point or seemlessly blend them into the overall architecture.



F9 aluminium steel

RAL 9010 white

Chrome/stainless steel matt

Brass matt/aluminium steel

NOTE: Not all handle options are available for each window system. Your Internorm distribution partner will be happy to advise



Lift & slide door handle Shown in black matt Item No. 36133

> available colours



natural Item No. 36424

available colours

Lift & slide door handle Shown in aluminium natural Item No. 32447

available colours



Flat key hole cover plate Shown in aluminium natural Shown in aluminium natural ltem No. 36404 (item No. 36505 Shown in aluminium natural Item No. 36435 for KF 310, KF 320, KV 350)

available colours

Secustik®

handle Austin flat cylinder

key hole cover plate

Shown in black matt

Item No. 36170

available colours

Designer handle Bruxelles

Shown in chrome satin

Item No. 34592

available colours



SecuForte®

Shown in black matt

Item No. 36132



lockable





Internorm

available colours

with push button Shown in aluminium steel Shown inaluminium natural Item No. 36394 Item No. 36428





Secustik[®] handle Dallas Item No. 36426

available colours



Handle Amsterdam Shown in aluminium natural Item No. 36416

available colours




Shown in aluminium natural

available colours



Designer handle Athanai Shown in brass matt/ aluminium steel Item No. 34594

available colours



available colours available colours



Lockable handle Designer handle Atlanta Shown in brass Shown in brass Item No. 33886 Item No. 34750

available colours available colours



Internorm handle colours

F1 aluminium natural

F9714m black matt

Polished brass

Chrome with satin finish

you on the combinations available.

Lift & slide door handle Shown in aluminium

Our entire entrance door handle range at a glance

Door handles add special detail to the overall design of an entrance door. Internorm offers many options, from recessed, handle bars, to lever handles and more.

Recessed handles

Both attached and flush possible. Only attached option available for AT500, AT520 and AT525.



Recessed handle, 430x100 Stainless steel AT500, AT520, AT525, AT530, AT540, HT400,



SG13

Recessed handle, 220x125 Stainless steel AT500, AT520, AT525, AT530, AT540, HT400, HT410



SG17

Recessed handle, 110x500 Stainless steel, black AT500, AT520, AT525, AT530, AT540, HT400, HT410

LED lighting available for AT530 and AT540 (see p. 100)

SG18

Recessed handle, 110x1400 Stainless steel AT500, AT520, AT525, AT530, AT540, HT400, HT410

LED lighting available for AT530 and AT540 (see p. 100)



GSIV Integrated recessed handle

GSI40 406 x 59 mm

GSI01 1000 x 59 mm

GSI02 1200 x 59 mm

GSI03 1400 x 59 mm

GSIV Variable length

Respective door panel colour or black AT500, AT520, AT525, AT530, AT540, HT400, HT410

LED lighting available for AT530, AT540, HT400, HT410

Bar handles

HGS01

Half-round bar handle 40x1000 2 supports

HGS02 40x1200

2 supports HGS03

40x1400 2 supports

HGS04

40x1600 2 supports

Stainless steel, black AT500, AT520, AT525, AT530, AT540, HT400, HT410

KGS01A

for ekey-dLine square handle bar 40x1000 2 supports

KGS05A

for ekey-dLine square handle bar 40x1800 3 supports

Stainless steel AT530, AT540, HT400, HT410

KGS01

Square handle bar 40x1000 2 supports

KGS02 40x1200

2 supports

KGS03

40x1400 2 supports

KGS04

40x1600 3 supports

KGS05

40x1800 3 supports

KGS06 40x2000

3 supports

Stainless steel, black AT500, AT510, AT520, AT525, AT530, AT540, HT400, HT410

KGS01L (not shown)

2 supports with integrated LED

KGS03L (not shown) 40x1400 2 supports

AT540, HT400, HT410

with integrated LED liahtina Stainless steel AT530,

RGS01

Round handle bar Ø 30 Height 1000

2 supports RGS02

Height 1200 2 supports

RGS03

Height 1400 2 supports

RGS04

Height 1600 3 supports

RGS05 Height 1800

3 supports

RGS06

Height 2000 3 supports

Stainless steel AT500, AT510, AT520, AT525, AT530, AT540, HT400, HT410

EGS01

Round handle bar Ø 35 Variable height

Stainless steel AT500, AT510. AT520, AT525, AT530, AT540, HT400, HT410

GKV01

Square handle bar with straight ends 30x1000

GKV02 30x1200

GKV03 30x1400

GKV04 30x1600

Stainless steel, black

AT500, AT520, AT525, AT530, AT540, HT400, HT410

RSS01

Round handle bar with diagonal supports Ø 32 Height 1000 2 supports

RSS02

Height 1200 2 supports

RSS03 Height 1400

2 supports RSS04

Height 1600 3 supports

RSS05 Height 1800 3 supports

RSS06

Height 2000 3 supports

AT500

Handle bar 2 supports

Stainless steel

GOK60

Stainless steel AT500, AT520, AT525, AT530, AT540, HT400, HT410

GKV60

Handle bar height 600

Stainless steel, black AT500, AT520, AT525, AT530, AT540, HT400, HT410

GPR60

Handle bar height 600 2 supports

Stainless steel AT500, AT520, AT525, AT530, AT540, HT400,

A stylish selection of handles is available for all door series.

Please note that not all handles are available for all doors.

The pictured handles are not in proportion and this page only shows a selection of handles available.

Dimensions are indicated in mm, width x height.

Push and bracket handles







HS32 Push handle 118x477 Stainless steel (HS30 = Ring stainless steel matt) AT500, AT510, AT520, AT525, AT530, AT540,

HT400, HT410



GKN201 stainless steel AT500

Lever



GD25

Stainless steel, black AT500, AT510, AT520, AT525, AT530, AT540, HT400, HT410



PD12

Brushed aluminium AT510, AT520, AT525, AT530, AT540



GD10

Stainless steel AT500, AT510, AT520, AT525, AT530, AT540, HT400, HT410



HS42

90x500

Push handle

stainless steel

AT500, AT510,

AT520, AT525,

AT530, AT540,

HT400, HT410

GD15

Stainless steel, black AT500, AT510, AT520, AT525, AT530, AT540, HT400, HT410



GD20

Stainless steel AT500, AT510, AT520, AT525, AT530, AT540, HT400, HT410



GD30

Stainless steel AT500, AT510, AT520, AT525, AT530, AT540, HT400, HT410



SD10

Stainless steel, black AT510, AT520, AT525, AT530, AT540, HT400, HT410



SD15

Stainless steel (SD20 = aluminium natural, SD25 = aluminium white) AT500, AT510, AT520, AT525, AT530

Interior designs for doors

You can also create features on the inside of your entrance door - choose between our simple straight or elegantly curved designs. Available in our standard range of aluminium colours for the colour features, with either decorative trim or milled grooves. These can be contrasting, or match the colour of the door panel, making the decorative trim or milling stand out.




Milled grooves and metal trims for doors

Simple or impactful. Whatever option you choose, they both offer a unique appeal. The more understated milled grooves blend into the design of your entrance door, whereas trims made of Alunox (flush) or stainless steel (raised) offer visual highlights. Black aluminium trims, available flush or raised, create effective contrast.





Our structured glass for windows and doors























* Special struc

Glass is not easy to display in print and might deviate from the original in both colour and structure. To avoid confusion, please compare the sample glass at your **Internorm distribution partner**.

Condensation – sign of quality: Internorm windows have excellent thermal insulation and air tightness. This not only prevents drafts, it also saves on heating, and keeps out noise. Due to physical conditions, condensation may occur. This might be seen as an issue, however, it is actually a sure sign that the window is performing and offers good thermal insulation properties.

Condensation on the outside: After cold nights, the glass panes can mist up on the outside because good thermal insulation ensures that very little heat escapes from the inside to the outside of the window. This means that the outer pane stays relatively cold and the ambient moisture, caused by the temperature difference between the air and the window surface, can become visible on the cool glass surface in the form of condensation (small water droplets that limit what you can see through the pane). However, this effect only occurs during morning hours and if the window is in a certain position in the house. It disappears again as soon as the temperature rises.

Condensation on the inside: Due to water vapour from kitchens, bathroom or simply breathing, particularly in bedrooms, the humidity of the air increases in interior spaces. If you do not ventilate rooms regularly, this humidity can quickly form as condensation on your windows.

You can find more tips and tricks on how to avoid condensation on our homepage and in the "Internorm User Manual, Care, Maintenance, Warranties".

ESG (toughened safety glass) and insulating glass

Most insulating and toughened safety glass used in Internorm products is made in-house. We are independently driving progress and trying to meet the demand for innovative and highly insulating glass solutions.

Thermal insulation glazing

Wafer-thin stainless-steel coatings and noble gases, such as argon or krypton, are inserted into the space between the panes and provide perfect thermal insulation. If you opt for for triple thermal insulation glazing instead of double glazing, you can incorporate 40% more glass areas without increasing your heating costs.

Security glass

If sufficient force is applied to ESG (toughened safety glass), it breaks into blunt-edged, loosely connected crumbs. VSG (laminated safety glass) shatters, but is attached to a tear-resistant, viscoplastic intermediate layer. The risk of injury is therefore very low.











Design glass for doors

A range of techniques such as fluted bevel, sandblasting, glass decorative trim or colour fields are used to create the design glass.



Motif glass for doors

Depending on the desired decorative element, you can decide whether the look is also repeated in the side light or in the glass feature. These feature lines continue from the door itself and are available in different options.

Please note that not every glass can be used with every system.



Clear surface area with sandblasted stripes



Sandblasted surface area with clear stripes and clear glass edges



Sandblasted surface area with clear stripes

121

Enjoy the

Enjoy the benefits of a French balcony.

Create a generous sense of space, even in smaller rooms.

Large-scale glazing is integral to modern architecture. Floor-to-ceiling windows and balcony doors are popular for upper floors. However, balconies or terraces are often not an option in city centres for structural reasons.

Juliet balconies are the perfect solution for letting more light into a room, providing uniterrupted views, and creating beautiful design features. Made with laminated safety glass and stainless steel trim, Internorm's Juliet balconies are factory fitted and uniquely integrated into the window or door frame. Round or square stainless steel bars are also available.

Please ensure that minimum heights comply with Building Regulations to prevent falling.

Different Juliet balcony options:



Glass balustrade option with laminated safety glass, including stainless steel trim



Option with round stainless-steel rail



Option with square stainless-steel rail


Feel safe and secure

To feel safe and secure in your own home, burglary protection, as well as maximum security for children, are fundamental requirements. Quality windows largely contribute to this feeling of safety. With effective and proven technologies from Internorm, you can protect your family and make it difficult for intruders to enter your home.



Security locks

All Internorm window systems are equipped with standard security hardware. Solid, yet discreet silver-coloured designer locking elements, together with octagonal mushroom cams in the sash, provide secure locking (except KF 510 and KF 520).



I-tec Glazing

Thanks to Internorm's patented glazing technology, the glass pane cannot be pushed out. The glass is glued into the frame all the way round, making it more secure and stable. Most Internorm window systems include I-tec Glazing as standard.



Security handle

The new Secustik® window handle contains a jamming device that provides integrated security. The patented locking mechanism offers foolproof protection against moving the lock from the outside (standard for the premium-design KF 510 and KF 520 uPVC and uPVC-aluminium windows).



Lockable handles

The window is locked with a key and cannot be opened from the inside or outside.

Lockable handles offer optimal security for children and perfect burglary protection.



I-tec Secure/KF 510 and KF 520

The revolutionary locking technology from Internorm guarantees maximum protection. When locking the window, the flaps open and press directly into the interior part of the frame on all sides. It is virtually impossible to lever the window.



Concealed hardware

prevents windows from being levered out of their hinges, with the added benefit of making windows look neat and easy to clean.



Electric opening sensor

Discreet and reliable, these hardwired or wireless locking sensors report whether windows or French doors are open, tilted or locked.



VSG (laminated safety glass)

Unlike standard glass, laminted glass does not shatter when broken. A tough, tear-resistant interlayer, bonded between two glass panes, ensures that the glass stays in the frame and does not cause injury.

Burglar-proof as standard

Proven security locks in our entrance doors ensure that you, your family and belongings are kept safe. Tested up to resistance class RC 3, the high-quality locking systems from renowned manufacturer KFV, provide outstanding burglary protection.









Security as standard

Mechanical: MV

Internorm entrance doors are equipped with a mechanical multi-point lock as standard.

Security as standard

- Multi-point lock = 5-fold protection through a main deadbolt, 2 steel bolts and 2 swivel latches
- · 3 solid door hinges ensure high stability.
- Increased burglary protection is already provided with the standard cylinder (protection against lock picking and drilling)

Comfort as standard

- The soft-lock latch ensures easy operation as well as a gentle close, plus it doesn't require any maintenance (no oil needed)
- Three-dimensionally adjustable door hinges allow you to install the entrance door even more precisely and accurately – with mounted door sash.
- Cylinders that are lockable from both sides meaning you can always lock them, even if a key is inserted on the other side

Enhanced security and comfort

Automatic: MVAM

Enhanced security with an automatic multi-point lock with main deadbolt, 2 trigger bolts and 2 swivel latches:

- Door mechanically locks automatically trigger bolts and swivel latch extend through spring force
- · Doesn't need to be locked with a key

Semi-motorised: EE

Comfort and security thanks to a semi-motorised multi-point lock with main deadbolt, 2 trigger bolts and 2 swivel latches:


- Door mechanically locks automatically trigger bolts and swivel latch extend through spring force
- No need to lock or unlock with a key (unlocking through electric drive); on the inside, the door is unlocked by pressing the lever. A child lock function blocks the lever.
 Can be combined with all access control systems.

Fully motorised: EVE, EVC

The ultimate comfort thanks to a fully motorised multi-point lock with main deadbolt, 2 trigger bolts and 2 swivel latches:

- Door locks automatically trigger bolts, swivel latch and main deadbolt extend automatically
- Powerful fastening torque of the door sash through the motor
- No key needed to lock or unlock the door (locking and unlocking via the electric drive). On the inside, the door unlocks either by pressing the lever (EVC) or an electric switch (EVE). From the outside, the door unlocks through access controls (e.g. finger scan, etc.).

A note on EVC: Children can also open the locked door at anytime by pressing the lever on the inside and thereby get outside. In this case, opt for an EVE with an electric button that is hidden or in a higher position.



For entrance doors and lift & slide doors



For entrance doors



Finger scanner

The latest generation of **ekey dLine** fingerprint scanners conveniently replaces conventional keys. The control unit takes up little space and is securely installed on the entrance door panel or the frame of the lift & slide door. You won't have to worry about forgetting, losing or having your keys, cards or codes stolen.

Simple. Open the door with one touch of your finger. You manage your permissions yourself – no technician or computer required. All you need is the **ekey bionyx** app. **Convenient.** Your finger is the key, meaning you'll always have it "on hand". The smart software keeps learning every time you use it and recognises growth in children's fingers or user habits.

Secure. Your unique fingerprint is more secure than any key that could be lost or stolen. Manipulating the system from the outside is impossible. Unauthorised third parties cannot gain access to the key.

A scanner makes your entrance door smart. The system can be integrated into your home network via Wi-Fi, enabling countless functions such as remote opening or push notifications when the door is opened. In addition, your finger scanner will always have access to the latest firmware updates and therefore meet the highest security standards.

For entrance doors



Keypad

On top of the finger-scanning option, you can also use the more traditional method of entering a code into the keypad. The **ekey home integra keypad** is installed directly in the door panel, so merely the ultra-flat decorative element remains visible.

With this method, you open the door by typing in a freely selectable four to ten-digit code. You can even create a pattern on the touch-sensitive screen, in the same way that many users unlock their smartphones.

You can programme up to 99 codes. This means that every user can have their own access code. This comes in handy when granting access to cleaning staff, for example – you can delete their code at any time and replace it with a new one.



Instinct[©]

Use your smartphone instead of searching for your key – fully electric locking (VEV)

Innovative multi-point locking opens and closes in a fully automatic and completely keyless process.

Reliable. Regardless of whether the sash is closed forcefully or only gently – the system will "grip" and lock reliably (sash is "sucked in"). The horsehead-shaped latch prevents the door from springing open.

Vigilant. The intelligent intrusion detection system with seven sensors recognises any tampering at a locking point and triggers an alarm – all before the front door has been fully forced open.

One-of-a-kind. Would you like to let a neighbour or family member into your home from afar? No problem – you can easily do so by sending them a one-time key.

Modern. With no locking cylinder, the door stands out with its clean design. It can be opened conveniently with an app or optionally via fingerprint scanning.


Functional. This reliable high-tech product records all operating cycles and system updates, provides status feedback and opens even in the event of a power failure thanks to emergency power bridging.

Clever. Full data control via offline system - all permissions are encrypted and are only stored locally at the door.



Security with Winkhaus cylinders for windows and doors

You have a wide range of additional components to choose from, such as high-security cylinders, door locks and many more. Find out more from your **Internorm distribution partner**.



The **standard cylinder** features protection against lock picking and drilling by means of steel pins. It can be locked from both sides, meaning you can still lock and unlock the door if there is a key inserted on the other side.



The **high-security cylinder** with three-dimensional, patented protection against lock picking and drilling, as well as pulling and tearing. The large, special key shape makes it easy to lock and prevents the key from bending or breaking. It is lockable from both sides. The symmetrical reversible key is easy to insert into the cylinder.



Every high-security cylinder comes with a personal **security card**. It serves as important proof of legitimacy for follow-up orders of cylinders or keys.

Additional entrance door security options



The door opening restrictor TSH serves as a secure opening limitator. You can operate it via the main lock (no cylinder on the outside). The feature is activated from the inside using a turn knob.



For the **electric door opener/ETOE** (normal function), the door can only be opened while there is contact (button is pressed, no permanent contact).



Sun protection and flyscreens

Mix & match, integrated and with many options





















By adding sun protection and flyscreen systems to your windows and doors, you can create a more comfortable home and enhance the facade of your building. For ease of operation and convenience, Internorm blind systems can also be connected to smart home systems, such as Loxone or Mediola, and operated via your smartphone or tablet.

Windows with integrated blinds: integrated sun protection and privacy screen between accessible panes – with the option of Venetian, Roman or Duette® blinds, and available with solar powered I-tec Shading on request.

Internal blind: this is mounted onto the window sash and is covered by a housing.

Raffstore Venetian blind: optimum control of light and solar gain with adjustable aluminium slats. Available with RETROLUX daylight control on request; can be combined with flyscreens. Ideal for lift & slide doors.

Exposed Raffstore Venetian blind: optimal control and steering of light and warmth through adjustable slats; can be combined with flyscreens.

External and mini external shutters: loose or fully mounted on the window; can be combined with flyscreens.

Flyscreens: available as fixed, turn, sliding or pull-down flyscreen. Can be combined with blinds.

Pleated flyscreen: space-saving and perfect retrofit solution, also suitable for lift & slide doors.

Window shutters: made of aluminium, with many design options; can be combined with flyscreens.



Internorm

and light transmission, therefore contributing to passive cooling in summer and solar heating in winter.

Up to 50% less cooling energy

Did you know that cooling a room by 1°C with air conditioning uses three times more energy than increasing heating by 1°C.

Up to 30% less energy consumption

Smart controlled raffstores considerably reduce energy consumption by passive cooling and solar heating.

Reduce electricity costs by up to 80% by not using artificial lighting

Raffstore allow you to control the amount of sun entering your home and the specially designed slats effectively direct daylight into the interior.

Up to 8.5 tonnes of CO, saved

One raffstore can save about 8.5 tonnes of CO₂ in its lifetime. The manufacture, use and disposal of a raffstore only creates around 150kg of CO₂.

132 Window & Door Brochure 2024/25

Colours for sun protection

Venetian blind slats

Standard

RAL 9016	RAL 7035	RAL 1015	Beige	RAL 9006
Traffic white	Light grey	Light ivory		White aluminium
RAL 9007 Grey aluminium	RAL 7016 Anthrazite grey	DB 703 Grey	RAL 9005 Jet black	

Standard longer delivery

RAL 7038	RAL 7039	RAL 7006	RAL 7021	RAL 7022
Agate grey	Quartz grey	Beige grey	Black grey	Umbra grey
Light bronze	Medium bronze	Dark bronze	RAL 6005	
Classic 32	Classic 33	Classic 34	Moss green	

Roller shutter

white	grey	beige	cream	Grey aluminium
Aluminium-natural	DB703 Aluminium-grey	Aluminium- anthrazite grey	Aluminium- deep black	Aluminium-brown
Aluminium- moos green	Aluminium- wood dark			

Integrated & internal blinds (Venetian)

0205 milk	0152 crystal	0605 sapphire	0958 moonstone	7010 silver	7113 aluminium	4448 cream	4449 cortina
5056 burgundy red	4808 topaz	4768 praline	4161 messina	4049 genua	4249 torino	2263 indigo	2371 gentian blue
3763 fern green	3251 fir						

Duette®

2340 cloud	2342 dolphin grey	2345 fog	2341 winter white	2346 oyster	2327 dark blue	2337 royal red

Venetian blind





Technical overview - window

uPVC



	KF 310	KF 320	KF 410	KF 510	KF 520
Thermal insulation in W/(m²K)					•
Standard coating	$U_w=0.76$	$U_{\rm w}=0.72$	$U_{\rm w}=0.71$	$U_{\rm w}=0.71$	$U_{\rm w}=0.70$
Optimum value	Uw = 0.69	$U_w=0.65$	Uw = 0.62	Uw = 0.63	$U_{\text{\tiny W}}=0.63$
Noise reduction (in dB)	33 – 45	34 – 45	34 – 47	34 – 46	33 – 46
Security up to	RC 2	RC 2	RC 2	RC 3	RC 3
Locking	Concealed	Concealed	Concealed	Fully integrated	Fully integrated
Measurements in mm					
Frame construction depth	71	71	90	90	90
Sightline – frame/sash	107	97	113	95	85
Sightline – flying mullion (two sashes)	119	100	133	100	96
Sightline – mullion (2 sashes)	170	154	187	147	148
Designs	-				
Fixed	X	X	×	X	×
Turn and Tilt & Turn	X	X	×	×	×
Tilt	X	X	×	×	×
Sliding window	X	X	×	×	
Lockable doors	Х	Х	×	Х	
Lift & Slide doors	Х	Х	Х	Х	
Doors with low threshold	Х	Х	×	Х	Х
Outward opening doors	Х		Х	Х	
Gaskets					
Quantity	3	3	3	3	3
Colour external gasket	Light grey	Light grey	Light grey	Light grey	Light grey
Georgian bars Integrated	×	×	Х	Х	Х
Surface-mounted	×		Х	Х	
Available in Design Styles	home soft	studio	home pure home soft ambiente	home pure	studio

Standard coating	$U_{\text{\tiny W}}=0.76$	$U_w=0.72$	$U_w=0.71$	$U_{\text{\tiny W}}=0.71$	$U_w=0.70$
Optimum value	Uw = 0.69	U _w = 0.65	Uw = 0.62	Uw = 0.63	U _w = 0.63
Noise reduction (in dB)	33 – 45	34 – 45	34 – 47	34 – 46	33 – 46
Security up to	RC 2	RC 2	RC 2	RC 3	RC 3
Locking	Concealed	Concealed	Concealed	Fully integrated	Fully integrated
Measurements in mm					
Frame construction depth	71	71	90	90	90
Sightline – frame/sash	107	97	113	95	85
Sightline – flying mullion (two sashes)	119	100	133	100	96
Sightline – mullion (2 sashes)	170	154	187	147	148
Designs Fixed	×	×	×	×	×
Turn and Tilt & Turn	Х	X	Х	Х	Х
Tilt	Х	×	×	Х	Х
Sliding window	Х	×	Х	Х	
Lockable doors	Х	×	Х	Х	
Lift & Slide doors	Х	×	Х	Х	
Doors with low threshold	×	×	Х	Х	Х
Outward opening doors	Х		×	Х	
Gaskets Quantity	3	3	3	3	3
Colour external gasket	Light grey	Light grey	Light grey	Light grey	Light grey
Georgian bars					
Integrated	×	X	Х	Х	Х
Surface-mounted	×		Х	Х	
Available in Design Styles	home soft	studio	home pure	home pure	studio
	ambiente		ambiente		

More info on page

uPVC-Aluminium



49

135

28

Timber-Aluminium







50

HF 410	HF 510	HV 450
U _w = 0.71	U _w = 0.72	U _w = 0.97
U _w = 0.65	U _w = 0.65	U _w = 0.62
33 – 45	35 – 44	41 – 46
RC 2	RC 2	RC 2
Concealed	Concealed	Concealed
85	85	85
108	99	108
124	106	124
173	156	173
v	v	
<u> </u>	X	X
x x		
×	×	^
	×	
	×	
	× ×	×
x		·
3	3	3
Black	Black	Black
×	×	×
Х	X	Х
studio		
home pure	home pure	home pure
home soft		home soft
ambiente		ambiente

134 Window & Door Brochure 2024/25

24


HT 400

Lift & slide doors and fixed glazing



	KS 430	HS 330	HX 300	
Thermal insulation in W/(m²K)				
Standard coating	$U_{\rm w} = 0.68$	$U_w = 0.73$	$U_w=0.74$	
Optimum value	$U_w = 0.64$	$U_w = 0.73$	$U_w = 0.74$	
Noise reduction (in dB)	33 – 43	32 – 40	34 – 47	
Security up to	RC 2	RC 2	_	
Locking	-	-	-	
Measurements in mm				
Frame construction depth	200/203	209	100	
Sightline – frame/sash	169	178	108	
Sightline – flying mullion (two sashes)	173	222	_	
Sightline – mullion (2 sashes)	_	_	91.8/111.8	
Designs	•			
Fixed		X	X	
Turn and tilt & turn			Х	
Tilt			X	
Sliding window				
Lockable doors	X	X	X	
Lift & Slide doors				
Doors with low threshold	×	Х	Х	
Outward opening doors				
Gaskets		0/0		
Quantity Colour external gasket	Light grey/black	2/3 Black		
Olioui external yasket	Light grey/black	DIAUK	•	
Georgian bars Integrated	×	X		
Surface-mounted	X			
More info on page	54	55	56	

Technical overview – entrance doors







AT 510



AT 500



HT 410

Material	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Timber-Aluminium	Timber-Aluminium
Design	Flush inside and outside	Square-edged on inside and outside	Square-edged on inside, flush-mounted on outside	Profiled on inside, square-edged on outside	Profiled on inside, square-edged on outside	Profiled on inside and outside	Flush inside and outside	Square-edged on inside and outside
Thermal insulation in W/(m²K)	U _D up to 0.75	U⊳ up to 0.69	U _D up to 0.87	U _D up to 0.80	U _D up to 0.95	U₀ up to 0.91	U _D up to 0.55	U₀ up to 0.67
Noise reduction in dB	Up to 36	Up to 36	Up to 33	Up to 33	Up to 39	Up to 39	Up to 34	Up to 34
Security	Up to RC 2	Up to RC 2	Up to RC 2	Up to RC 2	Up to RC 2	Up to RC 3	Up to RC 2	Up to RC 2
Locking	Multi-point locking	Multi-point locking	Multi-point locking	Multi-point locking	Multi-point locking	Multi-point locking	Multi-point locking	Multi-point locking
Profile construction depth in mm	93	93	93	93	93	93	121	85
Gaskets	3	3	3	3	3	3	3	3
Threshold	Thermally broken	Thermally broken	Thermally broken	Thermally broken	Thermally broken	Thermally broken	Thermally broken	Thermally broken
Insulation	3-chamber frame profile, insulating foam core	3-chamber frame profile, insulating foam core	3-chamber frame profile, insulating foam core	3-chamber frame profile, insulating foam core	3-chamber frame profile, insulating glass core	3-chamber frame profile, insulating foam core	Thermal foam insulation	Thermal foam insulation

National and international certifications affirm the high quality of our products.

Internorm's wealth of experience and focus on innovative technical solutions ensure that you receive the best product and service. State-of-the-art production facilities and stringent quality controls ensure that our product sets industry standards. Prestigious awards and certifications from leading European test institutes support this.



Austrian coat of arms



Austria quality mark



TÜV ISO 14001



RAL











ÖGUS

Austrian Society for Environmental Engineering



RAL quality mark

Certificate for products from sustainable forestry

















reddot winner 2023







IMPRINT

Publisher: Internorm International GmbH, Ganglgutstraße 131, A-4050 Traun

Photos: Studio Hoflehner, A-4600 Wels | studio46, A-4863 Seewalchen am Attersee | EOS Werbefotografie, A-4020 Linz

Bernhard Hörtnagl, A-6020 Innsbruck | Internorm International GmbH, A-4050 Traun

Design and litho: Internorm International GmbH, A-4050 Traun

Print: Hague Group, Leicester, LE19 4SD

Subject to technical changes, printing and typesetting errors. Internorm International GmbH is an ARA licence partner: Our licence number is 4477.



HEAD OFFICE

Internorm Windows UK Ltd

Unit D · Colindale Business Park 2–10 Carlisle Road · London, NW9 0HN

Tel.: +44 (0) 208 205 9991 Email: office@internorm.co.uk

uk.internorm.com commercial.internorm.com

